

## **Key Hemerodromia Stefan Niesiolowski 1992 Empididae aquatica**

translated from Polish language by Google translate.

- 1. Yellow-gray torso..... 2.
- Brown torso..... 4.
- 2. Yellow tergite of the 7th abdominal segment. Rectangular gonocoxite, wide epandrium, oblique at the distal part (Fig. 122)..... **H. oratoria** (p. 76).
- Tergite of the 7th abdominal segment gray-green. Oval gonocoxite, elongated epandrium and thin..... 3.
- 3. A narrow black stripe on the body, no stains. Gonostylus very thin along its entire length (fig. 123)..... **H. unilineata** (p. 76).  
- 3 narrow brown stripes on the body, connecting two dark spots, one at the collar and the other at the base of the shield. Gonostylus extended distal (Fig. 126).  
..... **H. mazoviensis** (p. 79).
- 4. The entire body is brown with three narrow, dark stripes. Gonostylus narrow, tight hairy; aedeagus very long (fig. 124)..... **H. baetica** (p. 78).

Dark brown torso with an orange-gray stripe running through the center of the plate dorsal. Gonostylus in the shape of two fairly long, finger-shaped outgrowths, poorly hairy (Fig. 125)..... **H. raptoria** (page 78).




fig 122 H. oratoria




fig. 123 *H. unilineata*




fig. 124 *H. mazoviensis*




fig. 125 *H. raptoria*